

Mac OS X Quartz Applications Édition Fenêtre Aide

DMX Utility usbDMX netDMX MIDI OSC VLC

Argumentation type for writer(s) Mono

Default NIC to use for D::Luz Wifi

Bypass level's anchor mechanism

export Channel's levels

/seq/genericGoto message mapping Cue

use Virtual Submaster for /circ/x/level messages

OSC server style Unicast

Reader

Port 7000

Writer

IP Address : Port . . . :

No.	Address:Port	Available	Delete
1	127.0.0.1:5000	☒	☒

tuto

M∞ T∞ D∞ S∞

D::Light 4.0.24 © Nicolas Bats (getdlight.com)

Nov. 16, 2018 09:32:00
StepLink 0 deleted for step 8
Nov. 16, 2018 09:36:12
OSC->port 7000 (Listen)

force D∞

fix D∞

P1

SCENE

FF

ALLSUB

FF

FLASH

FF

JOYSTICK

50

Balance

Refresh

GO

Pause

Back

Sample

COM

FF 0

Black

Freeze

GRAND

FF

MASTER

MIDI SWITCH

1

Configurer osc sur cette adresse (ordinateur local) port 5000



```
Nov. 16, 2018 09:13:53
watchDog
Nov. 16, 2018 09:13:53
Done !
```

© 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. This material is intended solely for the personal use of the individual user and is not to be disseminated broadly.


 -PAGES-
1
 -BOOK-
1
 RecMoos

SCENE

50

114

Deuce Back

11

1

ApplicationsÉditionFenêtreAide

XQuartz

52 %

Ven. 09:14

Célio

Step Link Editor

Create SLink

StepLink for step : 1

one can use Left/Right arrow to move in step

osc

address must be prepended by /

arguments must be prepended by @ and their type (ex: @i = integers, @f = float, @s = string)

example: /this/address @i 1 @i 255

Curves

channels or outputs should be separated by /

channels are defined by prepending @

(TRHU) > can be used for channels AND outputs

No.	Function	Type	Parameter
-----	----------	------	-----------

J M T D S

D::Light 4.0.24 © Nicolas Bats (getdlight.com)

Nov. 16, 2018 09:13:53
watchDog
Nov. 16, 2018 09:13:53
Done !

force D∞

fix D∞

P1

FLASH

FLASH

PAGES 1

BOOK 1

RecM∞

SCENE

FF

ALLSUB

FF

FLASH

FF

JOYSTICK

50

@	Thru	All
7	8	9
4	5	6
1	2	3
CH	0	Clear
+	.	-
Inv	Swap	Clone

Balance

Refresh

-%

5

+%

GO

00:00:51

Pause

Back

Sample

COM

FF 0

Black

Freeze

GRAND

FF

MASTER

MIDI SWITCH

1

XQuartzApplicationsÉditionFenêtreAide

tuto

FileDisplayDevicesUtilityLicense

Step	ID	Cue	↑	↓	↑	↓	W	J	M∞	T∞	D∞	S∞
0	.	0	0	0	0	0	.	.	.	.	.	.
1	.	1	5	5	0	0	.	.	.	.	.	1
2	.	2	5	5	0	0	.	.	.	.	.	.
3	.	3	5	5	0	0	.	.	.	.	.	.

D::Light 4.0.24 © Nicolas Bats (getdlight.com)
Nov. 16, 2018 09:32:00
StepLink 0 deleted for step 8
Nov. 16, 2018 09:36:12
OSC->port 7000 (Listen)

Step Link Editor

StepLink for step : 1
• one can use Left/Right arrow to move in step

OSC

• address must be prepended by /
• arguments must be prepended by @ and their type (ex: @i = integers, @f = float, @s = string)
• example: /this/address @i 1 @i 255

Curves

• channels or outputs should be separated by /
• channels are defined by prepending @
• (TRHU) > can be used for channels AND outputs

No.	Function	Type	Parameter
0	SEND	OSC	@ 127.0.0.1:5000 /go/milumin @i 1 @i 255

Renseigner l'adresse osc comme ci dessus (par ex)

Sample

COM

FF 0

Black

Freeze


GRAND


FF


MASTER


DI SWITCH


1











The screenshot shows the D++ chat interface. At the top, the title bar reads "D::Light 4.0.24 © Nicolas Bats (getdlight.com)". On the left, there is a blue cloud icon and a small gear icon. The main chat area has a dark background and displays the following text: "Nov. 16, 2018 09:13:53", "watchDog", "Nov. 16, 2018 09:13:53", and "Done !". A scrollbar is visible on the right side of the chat area.

Lancer le pas 1 (Go obligatoire)

Apple Millumin2 Project Edit Element Board Output Window Help

tuto

File Display Devices Utility License

Step	ID	Cue	↑	↓	↑	↓	W	J	M ∞	T ∞	D ∞	S ∞
0	.	0	0	0	0	0	.	.	.	.	.	.
1	.	1	0	0	0	0	.	.	.	.	.	1
2	.	2	5	5	0	0	.	.	.	.	.	.
3	.	3	5	5	0	0	.	.	.	.	.	.

RPN

D::Light 4.0.24 © Nicolas Bats (getdlight.com)

Nov. 16, 2018 09:32:00
StepLink 0 deleted for step 8
Nov. 16, 2018 09:36:12
OSC->port 7000 (Listen)

Milumin reçoit bcq d'info, choisir celle qui nous interesse

Interactions Learning

Too many inputs received.
Please select one in the list below.

Input
/ab seq/go
/ab seq/fadeX2
/ab seq/fadeX1
/ab seq/go_signal
/ab seq/pause_signal
/ab seq/goback_signal
/ab go/milumin
/ab seq/X1
/ab seq/X2

Cancel OK

Manage devices ... Close

force D ∞
fix D ∞

P1

@	Thru	All
7	8	9
4	5	6
1	2	3
CH	0	Clear
+	.	-

Inv Swap Clone

SCENE FF

ALLSUB FF

FLASH FF

JOYSTICK 50

Balance Refresh

-% 5 +%

GO 00:03:29

Pause Back

Sample

COM


FF 0

Black


Freeze

GRAND FF

MASTER MIDI SWITCH 1



Milumin enregistre la commande



Mac OS X Quartz Applications Édition Fenêtre Aide

X Quartz Applications Édition Fenêtre Aide

X tuto

Sequence

tdlight.com

one can use CMD+R to load selected step in active's register

Step	ID	Cue	↑	↓	↑	↓	Wait	Jump	M∞	T∞	D∞	S∞	Step Text	Cue Text
0	.	0	0	0	0	0	.	.	.	.	.	.	*	Black
1	.	1	5	5	0	0	.	.	.	.	.	1	*	*
2	.	2	5	5	0	0	.	.	.	.	.	.	*	*
3	.	3	5	5	0	0	.	.	.	.	.	.	*	*
4	.	4	5	5	0	0	.	.	.	.	.	1	*	*
5	.	5	5	5	0	0	.	.	.	.	.	.	*	*
6	.	6	5	5	0	0	.	.	.	.	.	.	*	*
7	.	7	5	5	0	0	.	.	.	.	.	.	*	*
8	.	0	0	0	0	0	.	.	.	.	.	.	*	Black

Dans la fenetre sequence
on peut faire un Drag and drop
du Step link sur les Step voulus

1 2 3 4 5 6 7 8 9 10 RecM∞

JOYSTICK 50

GO 00:14:15

Pause Back

Sample

COM

FF 0

Black

Freeze

GRAND

FF

MASTER MIDI SWITCH

1